

This listing of claims replaces all prior versions, and listings, of claims in this application.

Listing of Claims:

1-130. (Canceled)

131. (Previously Amended) A golf putter comprising:

a putter head having a face;

a first magnet attached to the face of the putter head; and

a striking surface attachment having a second magnet,

wherein the first magnet and second magnet bond the striking surface attachment to the putter head,

wherein the putter head comprises a metal core having the face to which the first magnet is attached, and a shell that is molded over an entire surface of the metal core except for the face, and wherein the shell further secures the striking surface attachment to the putter head.

132. (Previously Amended) The golf putter of claim 131, wherein the shell is made of a thermoplastic.

133. (Original) The golf putter of claim 131, wherein the putter head further comprises fasteners that join the first magnet, the metal core, and the shell together.

134. (Original) The golf putter of claim 133, wherein the fasteners extend out of the first magnet to engage openings in the striking surface attachment.

135. (Previously Amended) The golf putter of claim 131, wherein the striking surface attachment includes a support member to which the second magnet is attached, and a striking

surface molded onto the support member on a face of the support member opposite the second magnet, and wherein the molded striking surface and the shell press against each other.

136. (Original) The golf putter of claim 135, wherein the striking surface includes strips that align with grooves in the support member.

137. (Original) The golf putter of claim 135, wherein the striking surface includes one of a tab, ridge, flange, and indentation, for gripping and separating the striking surface attachment.

138. (Previously Amended) The golf putter of claim 131, wherein the putter head includes an indentation for gripping and separating the striking surface attachment.

139-148. (Canceled)

149. (Currently Amended) ~~The A~~ golf putter of claim 148, comprising:
a putter head having a face, wherein the face has a cavity; and
a striking surface attachment disposed in the cavity, wherein the striking surface attachment has a thermoplastic surface that is compressed within the cavity to secure the striking surface attachment to the putter head, and

wherein the putter head comprises a metal core and a thermoplastic shell molded around the metal core, wherein the shell defines the cavity in the face, and wherein the shell and the thermoplastic surface of the striking surface attachment compress against each other.

150. (Canceled)

151. (Currently Amended) ~~The A~~ golf putter of claim 148, comprising:
a putter head having a face, wherein the face has a cavity; and

a striking surface attachment disposed in the cavity, wherein the striking surface attachment has a thermoplastic surface that is compressed within the cavity to secure the striking surface attachment to the putter head, and

wherein the putter head comprises a metal core and a thermoplastic shell molded around the metal core, wherein the shell and the thermoplastic surface of the striking surface attachment compress against each other, wherein a portion of the metal core is exposed in the cavity, and wherein the golf putter further comprises a first magnet attached to the striking surface attachment and a second magnet attached to the exposed portion of the metal core in the cavity, wherein the first magnet and the second magnet further secure the striking surface attachment to the putter head.

152. (Previously Added) A golf putter comprising:

a putter head having a face, wherein the face has a cavity, wherein the putter head comprises a metal core and a thermoplastic shell molded around the metal core, wherein the shell defines the cavity in the face; and

a striking surface attachment disposed in the cavity, wherein the striking surface attachment presses against the thermoplastic shell to secure the striking surface attachment to the putter head.

153. (Previously Added) The golf putter of claim 152, wherein the striking surface attachment has a thermoplastic surface, wherein the shell and the thermoplastic surface of the striking surface attachment compress against each other.

154. (Previously Added) The golf putter of claim 152, further comprising at least one magnet attached to at least one of the putter head face and the striking surface attachment for further securing the striking surface attachment to the putter head.

155. (Previously Added) The golf putter of claim 152, wherein a portion of the metal core is exposed in the cavity, and wherein the golf putter further comprises a first magnet attached to the striking surface attachment and a second magnet attached to the exposed portion of the metal core in the cavity, wherein the first magnet and the second magnet further secure the striking surface attachment to the putter head.

156. (Canceled)